



Streamlined Productivity*

With the Epson T-Series scanner and HDD upgrade, you are able to scan and share over the network or via e-mail, and even store files directly into your document management system. These features effectively smoothen workflow and increase workplace productivity.

* Selected models only



Minimise downtime and save paper with automatic dual roll media design - automatically switch between 2 rolls of media at will.



Partners In Perfection



Epson Stylus® Photo R-Series

Enjoy unrivalled colour print quality and speed with Epson Stylus Photo R-Series.



Epson SureColor™ SC-B6070/7070

Epson combines the superbly reliable Micro Piezo printheads with an original high capacity ink tank system to deliver fast, cost effective and high quality large format printing.

Comprehensive, Versatile Product Range

An extensive line up of printer configurations tailored to your individual business needs.

Printout Size		24" Width	36" Width	44" Width
SINGLE FUNCTION	SINGLE ROLL	 SC-T3270 24" Stand is available as an option only	 SC-T5270	 SC-T7270
	DUAL ROLL		 SC-T5270D	 SC-T7270D
MULTI-FUNCTION PRINTER	DUAL ROLL <i>print scan copy</i>		 SC-T5270D MFP	 SC-T7270D MFP


The SureColor T-Series can be tailored to suit your business requirements. Epson understands that as your business grows, so do your needs. The SureColor T-Series features certain upgrades including:

Add-ons available	SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP
Printer stand	X						
36" Scanner with stand		X	X	X	X		
Automatic take up reel			X				
320GB HDD*	X	X	X	X	X	X	X
Adobe PostScript 3 Expansion Unit (including 320GB HDD)*	X	X	X	X	X	X	X
Additional Roll media adapter	X	X	X	X	X	X	X

*All printers have only one slot available for either "320GB HDD" or "Adobe PostScript 3 Expansion Unit"

1. 320GB HDD

Enjoy greater productivity by adding the 320GB Internal Print Server to your printing line. Store up to 500 jobs on your SureColor T-Series for prompt printing without resending the data from a computer.



2. Adobe® PostScript® 3 Expansion Unit

Purchase Adobe PostScript 3 Expansion Unit to complement the Epson SureColor T-Series and be empowered to print directly with any Adobe software without the need for external drivers. Coupled with the 320GB Internal Print Server, the Adobe PostScript 3 Expansion Unit primes the T-series printer for maximum printing efficiency.

3. Automatic Take Up Reel**

Automate the collection of the finished printed product, allowing for continual printing of high volume print jobs.



** Available only for SC-T7270



4. Epson T-Series MFP Scanner

The 36" scanner provides you with a scanning feature for assorted media up to 1.3mm thick directly into your 320GB HDD. Be free to transfer the image to another SureColor T-Series printer, send it to a recipient via e-mail, or to store the image on your workspace shared folder or CIFS.



5. Additional Roll Media Adapter

The Additional Roll Media Adapter allows you to store an extra roll of substrate within the machine, giving you the option to mechanically switch between the two media samples to print on at will.

The Epson SureColor T-Series also uses a spindle-less roll holder that guarantees the operator's height will not hamper your work process, while making it easy to reload paper rapidly during peak periods.

SPECIFICATIONS

SURECOLOR SC-T3270/T5270/T7270

EPSON
EXCEED YOUR VISION


		Single Function LFP					Multifunction LFP		
Model Name		SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP	
Printer Width & Type		24" Single Roll (without stand)	36" Single Roll	44" Single Roll	36" Dual Roll	44" Dual Roll	36" Dual Roll	44" Dual Roll	
Print	Technology	PrecisionCore TFP Printhead with Variable-Sized Droplet Technology							
	Nozzle Configuration	720 nozzles each colour (x5)							
	Maximum Resolution	2880x1440 dpi							
	Minimum Ink Droplet Volume	3.5pl							
	Print speed	Approx. 28 sec /A1 Speed mode(w/cut)							
	Line Accuracy	±/0.1% Based on Max Quality 1440x1440dpi with High Speed On at 23°C, 50% RH on EPSON Singleweight Matte Paper							
	Minimum line width	0.02mm							
	Ink System	Types	Epson UltraChrome XD All Pigment Ink						
		Colours	Cyan, Magenta, Yellow, Photo Black, Matte Black						
		Capacity	110ml / 350ml / 700ml						
	Paper Handling		Single top-loading roll feed, Manual top-loading sheet fed, Manual front-loading thick board feed		Two automatic roll feeds (top- and front-loading), Manual top-loading sheet fed, Manual front-loading thick board feed		Two automatic roll feeds (top- and front-loading), Manual top-loading sheet fed, Manual front-loading thick board feed		
Paper Size	Rolls (0.08mm - 0.5mm thickness; max roll diameter 150mm)	254 - 610mm width	254 - 914mm width	254 - 1,118mm width	254 - 914mm width	254 - 1,118mm width	254 - 914mm width	254 - 1,118mm width	
	Sheets (0.08mm - 0.8mm thickness)	210 - 610mm width	210 - 914mm width	210 - 1,118mm width	210 - 914mm width	210 - 1,118mm width	210 - 914mm width	210 - 1,118mm width	
	Thick board	0.8 - 1.5mm thickness							
Borderless Printing		Available							
Scan	Scan speed						Colour/Grayscale: Up to 8.4cm/sec (3.3inch/sec)		
	Scan/copy resolution						Up to 600 dpi		
	Scan Sizes						Width: 153 to 965.2mm (6 to 38inches); Length: 153 to 2438.4mm (6 to 96inches); Thickness: 0.05 to 1.3mm		
	Features						Scan to Folder, Scan to Mail, Scan to HDD, Scan to Share*		
Copy	Copy Speed						Up to 39 sec (A1 size, 300 dpi colour copy)		
	Reduction/enlargement						25 to 400%		
	Maximum copies						Up to 99 copies		
	Copier settings						Quality, Density, Contrast, Remove Background, Sharpness, Document Type (5 types)		
Control Panel		2.7 inch Colour LCD							
Memory	Standard	1GB RAM							
	Hard disk	Optional 320GB					320GB**		
Connectivity	Interfaces (standard)	Hi-Speed USB, 10BASE-T/100BASE-TX /1000BASE-T							
	Print languages (standard)	ESC/P raster, HP-GL/2, HP RTL							
	Print languages (optional)	Adobe® PostScript® 3; Adobe PDF 1.7 (via Adobe® PostScript® 3™ Expansion Unit)							
	Drivers included	PC: Windows XP/Vista/7/8/8.1/10 (32/64bit); Windows Server 2003 Standard/Standard 64bit, 2008 Standard/Standard 64bit /R2, 2012 or later Macintosh: MacOSX10.5.8 or later							
Software	Standard (Bundled)	LFP Print Plug-in for Office, EPSON LFP Remote Panel 2, EpsonNet Config, EpsonNet Print (Windows only)							
	Option (Web Download)	Epson LFP HDD Utility, LFP Accounting Tool, EPSON Copy Factory							
Recommended System Requirements		PC: Windows10/8.1/8/7/Vista/XP, 3.05GHz Core 2 Duo, more than 1GB RAM, 32GB hard disk space; Macintosh: Mac OS X(10.5.8 or later), 3.05GHz Core 2 Duo, more than 1GB RAM, 32GB hard disk space							

Dimensions and Weight

SureColor SC-T3270
Weight: Approx 54kg (119lb) without stand
Approx 67kg (147.7lb) with stand
Dimension: 1,050mm x 691mm x 613mm (without stand)



SureColor SC-T5270/T5270D
Weight: Approx 84kg (185.2lb) Single Roll
Approx 118kg (260.2lb) Dual Roll



SureColor SC-T7270/T7270D
Weight: Approx 92kg (202.8lb) Single Roll
Approx 133kg (293.2lb) Dual Roll



* Feature allows transfer of images between Epson T-series Multifunction Printers.

** Multifunction LFP requires either 320GB Hard Disk Unit or Adobe Post Script Expansion Unit with 320GB HDD.

		Single Function LFP					Multifunction LFP	
Model Name		SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP
Printer Width & Type		24" Single Roll (without stand)	36" Single Roll	44" Single Roll	36" Dual Roll	44" Dual Roll	36" Dual Roll	44" Dual Roll
Power Requirements	Power Requirements	Input voltage AC 100-240V 50/60Hz / 1.0A-0.5A						
	Power Consumption (Printer)	Operating	Approx. 52 W	Approx. 60 W	Approx. 64 W	Approx. 61 W	Approx. 61 W	Approx. 65 W
		Ready	Approx. 16 W	Approx. 16 W	Approx. 16 W	Approx. 17 W	Approx. 17 W	Approx. 17 W
		Sleep	Approx. 3.0 W					
		Power off (Stand-by)	Less than 0.5 W					
Dimensions / Weight	Recommended Operating Temperature & Humidity	10 - 35°C; 20 - 80% RH (non-condensing)						
	Recommended Storage Temperature & Humidity	-20 - 40°C; 5 - 85% RH (non-condensing)						
	Acoustic Sound Pressure	Approx. 50dB(A) (operating) / Approx. 31dB(A) (Sleep)						
	Acoustic Sound Power	Approx. 6.8B(A) (operating)						
	Dimension (WxDxH)	1,050mm x 691mm x 613mm / 1,050mm x 1,070mm x 1,117mm (w/ Stand)	1,405mm x 1,070mm x 1,128mm	1,608mm x 1,070mm x 1,128mm	1,405mm x 1,070mm x 1,128mm	1,608mm x 1,070mm x 1,128mm	1,530mm x 1,074mm x 1,321mm	1,742mm x 1,074mm x 1,321mm
Options	Weight (without ink cartridges)	Approx. 54kg / 67kg (w/ Stand)	Approx. 84kg	Approx. 92kg	Approx. 118kg	Approx. 133kg	Approx. 168kg	Approx. 184kg
	Hard Disk Unit - 320GB	C12C848031						
	Internal Print Server	C12C891131						
	Hardware RIP Software	Adobe® PostScript® 3™ Expansion Unit (Hardware RIP with 320GB HDD)						
	Printer Stand	C12C844171						
Consumables	MFP Scanner	C12C891071						
	MFP Scanner Stand	C12C844151	C12C844161	C12C844151	C12C844161			
	Automatic Take-up Reel Unit & Attachment		C12C815321 & C12C815411					
	Additional Roll Media Adapter	C12C811401						
	Photo Black Ink Cartridge	C13T682100 (110ml) / C13T683100 (350ml) / C13T684100 (700ml)						
Consumables	Cyan Ink Cartridge	C13T682200 (110ml) / C13T683200 (350ml) / C13T684200 (700ml)						
	Magenta Ink Cartridge	C13T682300 (110ml) / C13T683300 (350ml) / C13T684300 (700ml)						
	Yellow Ink Cartridge	C13T682400 (110ml) / C13T683400 (350ml) / C13T684400 (700ml)						
	Matte Black Ink Cartridge	C13T682500 (110ml) / C13T683500 (350ml) / C13T684500 (700ml)						
	Replacement Ink Maintenance Box	C13T619300						
Consumables	Replacement Printer Cutter Blade	C13S802007						

Dimensions and Weight

SureColor SC-T5270D Multi Function Printer
Weight: Approx 168kg (370.3lb) Dual Roll



SureColor SC-T7270D Multi Function Printer
Weight: Approx 184kg (405.7lb) Dual Roll



© 2014 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing
Printed August 2014

